NOTICE OF INTENT

Franklin Well Nos. 2, 2A, and 2B Upgrades

Town of Franklin, Department of Public Works

April 2024



Table of Contents

Notice	of	Intent	(WPA 3)	Form
--------	----	--------	---------	------

Resource Area Impact Summary Form

Application Process Signature Form

Е.	~		~~	
П	2	ш	ıe	
	0	•	_	_

Figure 1	Project Location
Figure 2	Estimated and Priority Habitat and GIS Wetlands Map
Figure 3	FEMA Floodplain Map

Attachment A - Project Narrative

1.0	Project Description	A-1
2.0	Existing Conditions	A-2
3.0	Proposed Work within Wetland Resource Areas	A-3
4.0	Mitigation Measures	A-3
5.0	Compliance with Performance Standards	A-4
6.0	Summary	A-5

Attachment B – Abutter Notification Information (Certified Abutters List, Notification to Abutters, and Affidavit of Service)

Attachment C – Photographs

Attachment D – DEP's Bordering Vegetated Wetland Delineation Data Forms

Attachment E - Project Plans



WPA Form 3





Bureau of Resource Protection - Wetlands

WPA Form 3 - Notice of Intent

Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP: MassDEP File #:

eDEP Transaction #:1704780 City/Town:FRANKLIN

A.General Information

Pro	oct.	100	ot1	nn.
Pro	IUUL		aur	711.

a. Street Address 100 PUBLIC WORKS WAY

b. City/Town FRANKLIN c. Zip Code 02038 d. Latitude 42.07761N e. Longitude 71.41694W f. Map/Plat # 288 g.Parcel/Lot # 001-000-000

2. Applicant:

☐ Individual ☐ Organization

a. First Nameb. Last NameMARTINc. OrganizationFRANKLIN DEPARTMENT OF PUBLIC WORKS

d. Mailing Address 257 FISHER STREET

e. City/Town FRANKLIN f. State MA g. Zip Code 02038

h. Phone Number 508-520-4910 i. Fax 508-520-3486 j. Email dmartin@franklinma.gov

3. Property Owner:

more than one owner

a. First Name
 b. Last Name
 MARTIN
 c. Organization
 FRANKLIN DEPARTMENT OF PUBLIC WORKS

d. Mailing Address 257 FISHER STREET

e. City/Town FRANKLIN f.State MA g. Zip Code 02038

h. Phone Number 508-520-4910 i. Fax 508-520-3486 j.Email dmartin@franklinma.gov

4. Representative:

a. First Name MAGDALENA b. Last Name LOFSTEDT

c. Organization CDM SMITH INC.

d. Mailing Address 75 STATE STREET, SUITE 701

e. City/Town BOSTON f. State MA g. Zip Code 02169

h.Phone Number 617-452-6597 i.Fax j.Email lofstedtmh@cdmsmith.com

5. Total WPA Fee Paid (Automatically inserted from NOI Wetland Fee Transmittal Form):

a.Total Fee Paid b.State Fee Paid c.City/Town Fee Paid

6.General Project Description:

EXCAVATION OF SHALLOW TRENCHES WITHIN BORDERING LAND SUBJECT TO FLOODING TO INSTALL VENTURI FLOW METERS AT EXISTING WELLS 2, 2A, AND 2B, SEE ATTACHMENT A FOR DETAILED PROJECT DESCRIPTION.

7a.Project Type:

Single Family Home
 Residential Subdivision
 Limited Project Driveway Crossing
 Commercial/Industrial

5. □ Dock/Pier 6. □ Utilities

7. ☐ Coastal Engineering Structure 8. ☐ Agriculture (eg., cranberries, forestry)

9. ☐ Transportation 10. ☐ Other



Bureau of Resource Protection - Wetlands

WPA Form 3 - Notice of Intent

Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP: MassDEP File #: eDEP Transaction #:1704780 City/Town:FRANKLIN

7b.Is any portion of the proposed activity eligible to be treated as a limited project subject to 310 CMR 10.24 (coastal) or 310 CMR 10.53 (inland)?

- 1. $\frac{\nabla}{\text{Yes}} \frac{\Gamma}{\text{No}}$ If yes, describe which limited project applies to this project:
- 2. Limited 310 CMR 10.53(D) ?THE CONSTRUCTION, RECONSTRUCTION, OPERATION AND MAINTENANCE
 Project OF UNDERGROUND AND OVERHEAD PUBLIC UTILITIES, SUCH AS ELECTRICAL DISTRIBUTION OR
 TRANSMISSION LINES, OR COMMUNICATION, SEWER, WATER AND NATURAL GAS LINES??

TRANSMISSION LINES, OR COMMUNICATION, SEWER, WATER AND NATURAL GAS LINES?? 8. Property recorded at the Registry of Deeds for: a.County: **b.**Certificate: c.Book: d.Page: NORFOLK 18627 206 B. Buffer Zone & Resource Area Impacts (temporary & permanent) 1.Buffer Zone & Resource Area Impacts (temporary & permanent): This is a Buffer Zone only project - Check if the project is located only in the Buffer Zone of a Bordering Vegetated Wetland, Inland Bank, or Coastal Resource Area. 2.Inland Resource Areas: (See 310 CMR 10.54 - 10.58, if not applicable, go to Section B.3. Coastal Resource Areas) Size of Proposed Alteration Proposed Replacement (if any) Resource Area a.

□ Bank 1. linear feet 2. linear feet b. Bordering Vegetated Wetland 1. square feet 2. square feet 1. Square feet 2. square feet 3. cubic yards dredged d. Bordering Land Subject to Flooding 175 175 1. square feet 2. square feet 3. cubic feet of flood storage lost 4. cubic feet replaced e.

Isolated Land Subject to Flooding 1. square feet 2. cubic feet of flood storage lost 3. cubic feet replaced f. Riverfront Area 1. Name of Waterway (if any) ☐ 25 ft. - Designated Densely Developed Areas only 2. Width of Riverfront Area (check one) □ 100 ft. - New agricultural projects only □ 200 ft. - All other projects

4. Proposed Alteration of the Riverfront Area:

3. Total area of Riverfront Area on the site of the proposed project

square feet



Bureau of Resource Protection - Wetlands

WPA Form 3 - Notice of Intent

Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP: MassDEP File #: eDEP Transaction #:1704780 City/Town:FRANKLIN

a. total square feet	b. square feet within 100 ft.	c. square feet and 200 ft.	between 100 ft.	
5. Has an alternatives analys	sis been done and is it attached	to this NOI?		Γ Yes Γ No
6. Was the lot where the act	tivity is proposed created prior	to August 1, 19	996?	☐ Yes☐ No
3.Coastal Resource Areas: (Se	e 310 CMR 10.25 - 10.35)			
Resource Area		Size of Pro	oposed Alteration	Proposed Replacement (if any)
a. Designated Port Areas	Indicate size under	Lan	d under the ocean b	pelow,
b. ☐ Land Under the Ocean	1. square feet			
	2. cubic yards dredged			
c. ☐ Barrier Beaches	Indicate size under Coastal B	eaches and/or C	Coatstal Dunes, bel	ow
d. □ Coastal Beaches	1. square feet	2. cı	ubic yards beach no	ourishment
e. □ Coastal Dunes	1. square feet	2. cı	ubic yards dune nou	urishment
f. Coastal Banks	1. linear feet			
g. ☐ Rocky Intertidal Shores	1. square feet			
h. ☐ Salt Marshes	1. square feet	2. sc	q ft restoration, reh	ab, crea.
i.□ Land Under Salt Ponds	1. square feet			
	2. cubic yards dredged			
j. Land Containing Shellfish	1. square feet			
k.□ Fish Runs	Indicate size under Coastal Banks, Inland Bank, Land Under the Ocean, and/or inland Land Under Waterbodies and Waterways, above			
	cubic yards dredged			
l. Land Subject to Coastal Storm Flowage	1. square feet			
4.Restoration/Enhancement				
☐ Restoration/Replacement				

a. square feet of BVW

b. square feet of Salt Marsh

If the project is for the purpose of restoring or enhancing a wetland resource area in addition to the square footage that has been

entered in Section B.2.b or B.3.h above, please entered the additional amount here.



Bureau of Resource Protection - Wetlands

WPA Form 3 - Notice of Intent

Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP: MassDEP File #: eDEP Transaction #:1704780 City/Town:FRANKLIN

5. Projects Involves Stream Crossings

☐ Project Involves Streams Crossings

If the project involves Stream Crossings, please enter the number of new stream crossings/number of replacement stream crossings.

a. number of new stream crossings

b. number of replacement stream crossings

C. Other Applicable Standards and Requirements

Streamlined Massachusetts Endangered Species Act/Wetlands Protection Act Review

- 1. Is any portion of the proposed project located in **Estimated Habitat of Rare Wildlife** as indicated on the most recent Estimated Habitat Map of State-Listed Rare Wetland Wildlife published by the Natural Heritage of Endangered Species program (NHESP)?
 - a.

 ☐ Yes

 ☐ No

If yes, include proof of mailing or hand delivery of NOI to:

Natural Heritage and Endangered Species

Program

Division of Fisheries and Wildlife

1 Rabbit Hill Road

Westborough, MA 01581

b. Date of map:4/17/2024

If yes, the project is also subject to Massachusetts Endangered Species Act (MESA) review (321 CMR 10.18)....

- c. Submit Supplemental Information for Endangered Species Review * (Check boxes as they apply)
 - 1. ☐ Percentage/acreage of property to be altered:
 - (a) within Wetland Resource Area

percentage/acreage

(b) outside Resource Area

percentage/acreage

- 2. ☐ Assessor's Map or right-of-way plan of site
- 3. Project plans for entire project site, including wetland resource areas and areas outside of wetland jurisdiction, showing existing and proposed conditions, existing and proposed tree/vegetation clearing line, and clearly demarcated limits of work **
- a. Project description (including description of impacts outside of wetland resource area & buffer zone)
- b. ☐ Photographs representative of the site
- c. MESA filing fee (fee information available at: http://www.mass.gov/eea/agencies/dfg/dfw/natural-heritage/regulatory-review/mass-endangered-species-act-mesa/mesa-fee-schedule.html)

Make check payable to "Natural Heritage & Endangered Species Fund" and mail to NHESP at above address

Projects altering 10 or more acres of land, also submit:

- e. Project plans showing Priority & Estimated Habitat boundaries
- d. OR Check One of the following
 - 1. □ Project is exempt from MESA review. Attach applicant letter indicating which MESA exemption applies. (See 321 CMR 10.14, http://www.mass.gov/eea/agencies/dfg/dfw/laws-regulations/cmr/321-cmr-1000-massachusetts-endangered-species-act.html#10.14; the NOI must still be sent to NHESP if the project is within estimated habitat pursuant to 310 CMR 10.37 and 10.59.)
 - 2. ☐ Separate MESA review ongoing.



Bureau of Resource Protection - Wetlands

WPA Form 3 - Notice of Intent

Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

a. NHESP Tracking Number

b. Date submitted to NHESP

3. ☐ Separate MESA review completed.

Include copy of NHESP "no Take" determination or valid Conservation & Management Permit with approved plan.

- * Some projects not in Estimated Habitat may be located in Priority Habitat, and require NHESP review...
- 2. For coastal projects only, is any portion of the proposed project located below the mean high waterline or in a fish run?

 a. ▼ Not applicable project is in inland resource area only

b. ☐ Yes ☐ No

If yes, include proof of mailing or hand delivery of NOI to either:

South Shore - Cohasset to Rhode Island, and the Cape & Islands: North Shore - Hull to New Hampshire:

Division of Marine Fisheries -

Provided by MassDEP: MassDEP File #:

City/Town:FRANKLIN

eDEP Transaction #:1704780

Division of Marine Fisheries Southeast Marine Fisheries Station
Attn: Environmental Reviewer
836 S. Rodney French Blvd
New Bedford, MA 02744

North Shore Office Attn: Environmental Reviewer 30 Emerson Avenue

Gloucester, MA 01930

If yes, it may require a Chapter 91 license. For coastal towns in the Northeast Region, please contact MassDEP's Boston Office. For coastal towns in the Southeast Region, please contact MassDEP's Southeast Regional office.

3. Is any portion of the proposed project within an Area of Critical Environmental Concern (ACEC)?

 If yes, provide name of ACEC (see instructions to WPA Form 3 or DEP Website for ACEC locations). **Note:** electronic filers click on Website.

b. ACEC Name

4. Is any portion of the proposed project within an area designated as an Outstanding Resource Water (ORW) as designated in the Massachusetts Surface Water Quality Standards, 314 CMR 4.00?

a. □ Yes ▼ No

5. Is any portion of the site subject to a Wetlands Restriction Order under the Inland Wetlands Restriction Act (M.G.L.c. 131, § 40A) or the Coastal Wetlands Restriction Act (M.G.L.c. 130, § 105)?

a. ☐ Yes **▼** No

- 6. Is this project subject to provisions of the MassDEP Stormwater Management Standards?
 - a. Yes, Attach a copy of the Stormwater Report as required by the Stormwater Management Standards per 310 CMR 10.05(6)(k)-(q) and check if:
 - Applying for Low Impact Development (LID) site design credits (as described in Stormwater Management Handbook
 Vol.2, Chapter 3)
 - 2. A portion of the site constitutes redevelopment
 - Proprietary BMPs are included in the Stormwater Management System
 - b. **№** No, Explain why the project is exempt:



Bureau of Resource Protection - Wetlands

WPA Form 3 - Notice of Intent

Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP: MassDEP File #: eDEP Transaction #:1704780 City/Town:FRANKLIN

- Single Family Home
- Emergency Road Repair
- 3. Small Residential Subdivision (less than or equal to 4 single-family houses or less than or equal to 4 units in multi-family housing project) with no discharge to Critical Areas.

D. Additional Information

Applicants must include the following with this Notice of Intent (NOI). See instructions for details.

Online Users: Attach the document transaction number (provided on your receipt page) for any of the following information you submit to the Department by regular mail delivery.

- 1. USGS or other map of the area (along with a narrative description, if necessary) containing sufficient information for the
- Conservation Commission and the Department to locate the site. (Electronic filers may omit this item.)
- 2. Plans identifying the location of proposed activities (including activities proposed to serve as a Bordering Vegetated Wetland
- [BVW] replication area or other mitigating measure) relative to the boundaries of each affected resource area.
- 3. Identify the method for BVW and other resource area boundary delineations (MassDEP BVW Field Data Form(s).
- Determination of Applicability, Order of Resource Area Delineation, etc.), and attach documentation of the methodology.
- List the titles and dates for all plans and other materials submitted with this NOI. 4.

a. Plan Title:	b. Plan Prepared By:	c. Plan Signed/Stamped By:	c. Revised Final Date: e. S	Scale:

COVER SHEET, **KYLE**

SHEET C-9, AND GERLACH/MICHAELA April 2024/1"=20'

SHEET CD-1 **BOGOSH**

- If there is more than one property owner, please attach a list of these property owners not listed on this form.
- Attach proof of mailing for Natural Heritage and Endangered Species Program, if needed. 6.
- 7. Attach proof of mailing for Massachusetts Division of Marine Fisheries, if needed.
- 8. Attach NOI Wetland Fee Transmittal Form.

9. Attach Stormwater Report, if needed.



Bureau of Resource Protection - Wetlands

WPA Form 3 - Notice of Intent

Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP: MassDEP File #: eDEP Transaction #:1704780 City/Town:FRANKLIN

E. Fees

Notice of Intent.

tribe housing authority, municipal housing authority,	or the Massachusetts Bay Transportation Authority.
Applicants must submit the following information (in addi	tion to pages 1 and 2 of the NOI Wetland Fee Transmittal Form) to confirm fee payment:
2. Municipal Check Number	3. Check date
4. State Check Number	5. Check date
6. Payer name on check: First Name	7. Payer name on check: Last Name
Signatures and Submitted Dequirements	
F. Signatures and Submittal Requirements	
	ng Notice of Intent and accompanying plans, documents, and supporting data are true the Conservation Commission will place notification of this Notice in a local newspaper
t the expense of the applicant in accordance with the wetlands	regulations, 310 CMR 10.05(5)(a).
, , , , , , , , , , , , , , , , , , , ,	e notified of this application, pursuant to the requirements of M.G.L. c. 131, § 40.
Notice must be made by Certificate of Mailing or in writing by I f the property line of the project location.	hand delivery or certified mail (return receipt requested) to all abutters within 100 feet
1. Signature of Applicant	2. Date
3. Signature of Property Owner(if different)	4. Date
Myd 1 M	April 17, 2024
5. Signature of Representative (if any)	6. Date
or Conservation Commission:	
two copies of the completed Notice of Intent (Form 3), includition, and the city/town fee payment, to the Conservation Com	ing supporting plans and documents, two copies of the NOI Wetland Fee Transmittal mission by certified mail or hand delivery.
for MassDEP:	
one copy of the completed Notice of Intent (Form 3), including a copy of the state fee payment to the MassDEP Regional C	g supporting plans and documents, one copy of the NOI Wetland Fee Transmittal Form, Office (see Instructions) by certified mail or hand delivery.
Other:	
the applicant has checked the "yes" box in Section C, Items 1 equirements.	1-3, above, refer to that section and the Instructions for additional submittal

The original and copies must be sent simultaneously. Failure by the applicant to send copies in a timely manner may result in dismissal of the

Town of Franklin Conservation Commission

RESOURCE AREA IMPACT SUMMARY FORM

The Franklin Wetlands Protection Bylaw Franklin Town Code Section 181

Resource Area	Alteration Proposed	Mitigation Proposed
Bordering Vegetated Wetland (SF)		
Bank (LF)		
Land Under Water Bodies (SF)		
Isolated Wetland (SF)		
Vernal Pool (SF)		
Buffer Zone (SF)	175 SF (temporary)	175 SF restored in place
Riverfront (SF)		
100-Year Floodplain (CF)	175 SF (temporary)	175 SF restored in place
(SF) = Square Feet (LF) = Linear Feet (CF) = Cubic Feet Flood Storage		

Town of Franklin Conservation Commission

APPLICATION PROCESS SIGNATURE FORM

There are three different applications that can be submitted to undertake work in a jurisdictional area: a Notice of Intent (NOI), a Request for Determination (RDA) and a Minor Buffer Zone Activity (MBZA). All three applications have different criteria for submission and approval and the NOI and RDA are governed by both the state law and the local bylaw. The MBZA is issued under the local bylaw only.

When a potential applicant requests advice from the Conservation Agent on which application to file, the opinion of the Agent is based on the information given by the potential applicant and any other information available to the Agent, e.g. the town's GIS system. The Agent has no legal right to go onto private property at any time until after an application is filed or permission of the property owner is given.

It is important that all applicants understand that after an application is filed, additional information may come to light e.g. via a field inspection or a review of the application, that may impact the scope of the submitted application and the approval process. Therefore, it is the ultimate responsibility of the applicant to decide which application to file.

In light of the above, please sign below indicating an understanding of this policy and submit it with the application.

Myd Mat	April 17, 2024
Signature of Property Owner	 Date

Project Figures






FIGURE 1: USGS PROJECT LOCATION MAP




FIGURE 2: ESTIMATED AND PRIORITY HABITAT, AND DEP WETLANDS MAP

National Flood Hazard Layer FIRMette

Well No. 1

1,500

250

500

1,000





1:6,000

Basemap Imagery Source: USGS National Map 2023

2,000

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap

accuracy standards

an authoritative property location.

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 3/26/2024 at 10:34 AM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers,

FIGURE 3: FEMA FLOODPLAIN

Attachment A Project Description



Attachment A

Project Narrative

1.0 Project Description

CDM Smith Inc. (CDM Smith), on behalf of the Franklin Department of Public Works (DPW), Sewer & Water Division (the Town), submits this Notice of Intent (NOI) to install individual groundwater supply well flow metering at the Fisher Street Wells 2, 2a and 2b.

The Fisher Street Water Treatment Plant (WTP) was constructed in 2004 and has a maximum treatment capacity of 1.18 million gallons per day (mgd). The Fisher Street WTP treats groundwater from four wells located in the vicinity of Beaver Pond and Mine Brook. The WTP typically only operates during the high demand period of the year (usually spring through fall) and is turned offline for the winter months.

Back in 2019, MassDEP completed a sanitary survey of Franklin's entire public water supply system. The lack of individual groundwater supply well flow metering at the Fisher Street wells (1, 2, 2a and 2b) was found to be a deficiency. Raw groundwater from these four wells is treated at the Fisher Street WTP. As CDM Smith is designing the upgrades to the existing WTP, the DPW asked CDM Smith to also include individual flow metering on Wells 2, 2a and 2b within the larger WTP upgrade project. There are existing metering vaults associated with Wells 2, 2a and 2b but there are no flow meters present at this time. Proposed work consists of installation of new venturi flow meters at Wells 2, 2a and 2b. as well as replacement of vertical turbine pumps and motors for Well No. 2 located inside of the building, and Wells 2a and 2b.

The proposed activities are subject to review by the Conservation Commission under the Town's Wetlands By-Law, Chapter 181 (Town By-Law) and Town Conservation Commission Regulations since the proposed work is located within Bordering Land Subject to Flooding (BLSF) and the 50-ft an 100-foot Buffer Zones to Bordering Vegetated Wetlands (regulated resource areas under the Town By-Law and Regulations).

Please note that since this work consists of public utility maintenance, repair, and replacement activities, it is exempt from state review since M.G.L. Chapter 131 §40 exempts "maintaining, repairing or replacing, but not substantially changing or enlarging, an existing and lawfully located structure or facility used in the service of the public and used to provide electric, gas, water, telephone, telegraph and other telecommunication services" from filing an application under the Massachusetts Wetlands Protection Act (310 CMR 10.00).

The following sections address the existing on-site wetland conditions, work proposed within wetland resource areas, and proposed measures to mitigate any wetland resource area impacts.



2.0 Existing Conditions

Wells 1, 2, 2a and 2b are located within an 18.65-acre Town-owned parcel identified as parcel ID 288-001-000-000 by the Town Assessors maps. The parcel of land is located within Zone II well head protection area.

2.1 Wetland Resource Areas

A wetland delineation was completed by a CDM Smith Wetland Scientist on April 1, 2024. A large Bordering Vegetated Wetlands (BVW) associated with Beaver Pond borders the wellfield site to the east.

2.1.1 Bordering Vegetated Wetlands

Bordering Vegetated Wetlands (BVW) is defined as:

"Freshwater wetlands which border on creeks, rivers, streams, ponds, and lakes. The types of freshwater wetlands are wet meadows, marshes, swamps, and bogs. Bordering Vegetated Wetlands are areas where the soils are saturated and/or inundated such that they support a predominance of wetland indicator plants."

Wetland flags 1-1 through 1-20End demarcate the limits of the BVW east of Well Building 2 and Wells 2a, and 2b.

Wetland flags 2-1 through 2-9 demarcate the limits of the BVW east of Well 1. The two BVW flaglines are separated by the paved access road.

The BVWs can be characterized as wooded swamp dominated by red maple overstory. Wetland delineation data sheets are included as Attachment D.

2.1.2 Bordering Land Subject to Flooding

Bordering Land Subject to Flooding (BLSF)

Bordering Land Subject to Flooding (BLSF) is defined as:

"an area with low, flat topography adjacent to and inundated by flood waters rising from creeks, rivers, streams, ponds or lakes. It extends from the banks of these waterways and water bodies; where a bordering vegetated wetland occurs, it extends from said wetland." [310 CMR 10.57 (2)]

The FEMA Flood Insurance Rate Map (FIRM) identifies the 100-year floodplain in the project area as 234.4 feet NAVD 88 (see Figure 3).

2.2 Estimated Habitat

There are no state listed rare or endangered species or certified or potential vernal pools within or adjacent to the project area according to a review of the online GIS viewer (See Figure 2).

2.3 Local Jurisdictional Buffer Zone Resource Areas and 25-ft No Disturb Zone

The Town of Franklin considers 100 feet from a defined/delineated resource area as the buffer zone and consequently as an additional protected resource. The Town Bylaw and Regulations regulate activities within the 0 to 25-ft Buffer Zone Resource Area, the 25-ft to 50-ft Buffer Zone Resource Area, and the 50-ft to 100-ft Buffer Zone Resource Area. In addition, the Franklin



Conservation Commission has instituted a no disturb buffer zone that extends 25 feet from the defined/delineated resource area.

3.0 Proposed Work within Wetland Resource Areas

Proposed work within BLSF and the 100-ft Buffer Zone is limited to excavating short shallow trenches for installation of ¼" PE tubes for the new venturi flowmeters as shown on Sheet C-9. All excavation is within the fenced in portion for the Well No. 2 building.

Temporarily altered BLSF and 50-ft and 100-ft Buffer Zones will be restored to preconstruction contours and permanently stabilized using a minimum of 6 inches of topsoil and seeding with an erosion control seed mixture. Staked compost logs will remain in place until the areas are fully revegetated.

Dewatering is not anticipated since the trenches are shallow (max. 2 ft deep).

4.0 Mitigation Measures

The following summary presents the mitigation measures that will be implemented to avoid and minimize wetland impacts during construction. Please refer to the project plans in Attachment E for typical details of measures to protect wetlands and waterways during and after construction.

- Compost logs will be installed at the limit of work prior to commencement of construction to prevent the transport of sediment and debris to down gradient wetlands and to demarcate the limit of work. The compost logs will be inspected weekly and after all storm events of 0.5 inch or greater and repaired as needed. The barrier will be left in place until the area is permanently stabilized. Compost logs will be replaced as necessary due to sediment build-up and degradation. See Sheet CD-1 Attachment E for details of these barriers.
- Stockpiled soils within BLSF and the 100-foot Buffer Zone will be enclosed within a line of
 compost logs to prevent erosion or siltation into resource areas. The silt fence/straw bale
 barrier will be inspected weekly and after all storm events and repaired as needed. The
 barrier will be left in place until the area is permanently stabilized. Straw bales will be
 replaced as necessary due to sediment build-up and degradation.
- All disturbed areas will be restored to existing contours and roadways will be repaved.
- Maintenance and refueling of vehicles will take place outside of the 100-Foot Buffer Zone to any resource areas.

Post Construction Measures

The following summary of mitigation measures will be implemented to restore any short-term impacts that occur in or adjacent to wetlands.

Temporarily disturbed soils in BLSF and the 100-Foot Buffer Zone will be permanently stabilized with an erosion control seed mixture to match preconstruction conditions. The area will be maintained and re-seeded to ensure that vegetation cover is adequate to stabilize the exposed soil.



• If seeding occurs outside of the growing season, temporary stabilization measures (i.e., mulching or erosion control blankets) will be used to prevent erosion until the area can be seeded during the following growing season.

5.0 Compliance with Performance Standards

5.1 Massachusetts Wetlands Protection Act

As described above, work is proposed within Bordering Land Subject to Flooding. Proposed work complies with the General Performance Standards outlined in 310 CMR 10.57 (4) (a) which include:

1. Compensatory storage shall be provided for all flood storage volume that will be lost as a result of a proposed project within bordering land subject to flooding, when in the judgment of the issuing authority said loss will cause an increase or will contribute incrementally to an increase in horizontal extent and level of flood waters during peak flows. Compensatory storage shall mean a volume not previously used for flood storage and shall be incrementally equal to the theoretical volume of flood water at each elevation, up to and including the 100-year flood elevation, which would be displaced by the proposed project. Such compensatory volume shall have an unrestricted hydraulic connection to the same waterway or water body. Further, with respect to waterways, such compensatory volume shall be provided within the same reach of the river or stream.

Work within BLSF consists of excavation of shallow trenches for installation of ¼" PE tubes for the new venturi flow meters as shown on Sheet C-9. The proposed work will temporarily alter approximately 175 sf of BLSF. Temporarily altered BLSF will be restored to preconstruction contours resulting in no net loss of BLSF.

- 2. Work within bordering land subject to flooding, including the work required to provide compensatory storage, shall not restrict flows so as to cause an increase in flood stage or velocity.
 - Temporarily altered BLSF will be restored to preconstruction contours therefore the proposed project would not result in a restriction of flows or an increase in flood stage or velocity.
- 3. Work in those portions of bordering land subject to flooding found to be significant to the protection of wildlife habitat shall not impair its capacity to provide important wildlife habitat functions. Except for work which would adversely affect vernal pool habitat, a project or projects on a single lot, for which Notice(s) of Intent is filed on or after November 1, 1987, that (cumulatively) alter(s) up to 10% or 5,000 square feet (whichever is less) of land in a resource area found to be significant to the protection of wildlife habitat, shall not be deemed to impair its capacity to provide important wildlife habitat functions. Additional alterations beyond the above threshold, or altering vernal pool habitat, may be permitted if they will have no adverse effects on Wildlife habitat, as determined by procedures contained in 310 CMR 10.60.



This project proposes de minimums temporary impacts to BLSF (<0.01%) all located within the fenced in portion of Well Building No. 2, and therefore will not impact the areas' ability to provide wildlife habitat as temporarily altered BLSF will be restored to preconstruction contours.

5.2 Franklin Bylaw Regulations

The proposed activities within BLSF and the 50-ft and 100-foot Buffer Zone Resource Areas are in compliance with the performance standards of the Franklin Bylaw Regulations Sections 4.3 and 4.4. No new structures are proposed within the 25-50 Buffer Zone Resource Area. The proposed alteration is temporary and limited to three shallow trench excavations which will be restored to preconstruction grades and conditions. No tree clearing is proposed. No work is proposed within the 25-ft Buffer Zone.

6.0 Summary

Proposed work is limited to temporary alteration of BLSF and the 50-ft and 100-foot Buffer Zone Resource Areas for excavation of shallow trenches for installation of $\frac{1}{4}$ " PE tubes for the new venturi flow meters. Temporarily impacted BLSF and the 50-ft and 100-foot Buffer Zone Resource Areas will be restored to preconstruction contours and permanently stabilized as described above in Section 3.0.

The interests of the Town By-Law and Regulations will not be impaired as a result of this project and all appropriate erosion and sedimentation control measures will be implemented throughout the course of the construction to prevent erosion and the transport of sediment.



Attachment B Abutter Notification Information



Town of Franklin Conservation Commission

NOTIFICATION TO ABUTTERS

Under the Massachusetts Wetlands Protection Act And The Franklin Wetlands Protection Bylaw

In accordance with the second paragraph of Massachusetts General Laws Chapter 131, Section 40, you are hereby notified of the following proposed project:

Franklin Department of Public Works (Water & Sewer Division)_has filed a Notice of Intent with the Franklin Conservation Commission for the Well Nos. 2, 2A, and 2B Upgrades on April 18, 2024, under the Wetlands Protection Act (M.G.L c.131 §40).

Copies of the Notice of Intent may be examined during regular office hours at Franklin Department of Public Works (Water & Sewer Division) located at 257 Fisher Street in Franklin.

Copies may also be examined by contacting the Franklin Conservation Department located at 355 East Central Street, Franklin, MA, (508) 520-4929.

Notice of the public hearing including the date, time, and place will be published at least five (5) days in advance in the Milford Daily News.

Notice of the public hearing including the date, time, and place will be posted in the Franklin Town Hall at least forty eight (48) hours in advance of the public hearing.

The public hearing will be held on Thursday, May 2, 2024, at 7 pm, via Zoom, and can be accessed through the Conservation Commission agenda for that night, which will be posted on the Town's website 48 hours prior to the meeting. Please call the Conservation Department at (508) 520-4929 if you have any questions.

You may also contact the Massachusetts Department of Environmental Protection, Central Regional Office, Worcester, MA at (508) 792-7650.

Town of Franklin Conservation Commission

AFFIDAVIT OF SERVICE

Under the Massachusetts Wetlands Protection Act

(To be submitted to the Massachusetts Department of Environmental Protection and the Franklin Conservation Commission when filing a Notice of Intent)

I, Magdalena Lofstedt hereby certify under the pains and penalties of perjury that on April 18, 2024, I gave Notification to Abutters in compliance with second paragraph of Massachusetts General Laws Chapter 131, Section 40 in connection with the following matter:

A Notice of Intent filed under the Massachusetts Wetlands Protection Act by Franklin Department of Public Works with the Franklin Conservation Commission on _April 18, 2024, for property located on _100 Public Works Way, Franklin, MA.

The Notification to Abutters form and list of the abutters to whom it was given and their addresses are attached to the Affidavit of Service.

Mydl fight		
	April 18, 2024	
Signature	Date	

Attachment C Photographs





Photo 1: Wells Nos. 2, 2a, and 2b, view looking north.



Photo 2: Well No. 1, view facing west.



Photo 3: Top of Bank flag 1-8, view facing northeast



Photo 4: Wetland flag 1-20, view facing pump house building.



Photo 5: BVW flagged as Wetland 2 located south of access drive, view facing west.



Photo 6: Wetland 2, view facing southwest.

Attachment D DEP's Bordering Vegetated Wetland Delineation Field Data Form



BORDERING VEGETATED WETLAND DETERMINATION FORM

Project/Site:	City/Town:	Sampling Date:
Applicant/Owner:	Sam	pling Point or Zone:
Investigator(s):	Latit	rude / Longitude:
		or DEP Classification:
Are climatic/hydrologic conditions on the	site typical for this time of year?	YesNo (If no, explain in Remarks)
Are Vegetation, Soil, or	Hydrology significantly distu	rbed? (If yes, explain in Remarks)
Are Vegetation, Soil, or	Hydrology naturally problem	natic? (If yes, explain in Remarks)
SUMMARY OF FINDINGS – Attach site ma		
Wetland vegetation criterion met?		Sampled Area Yes No
Hydric Soils criterion met?		n a Wetland?
Wetlands hydrology present?	YesNo	
Remarks, Photo Details, Flagging, etc.:		
HYDROLOGY		
Field Observations:		
Surface Water Present?	Vec No	
Water Table Present?		
		Depth (inches)
Saturation Present (including capillary fr	inge)? Yes No	Depth (inches)
Wetland Hydrology Indicators		
Reliable Indicators of Wetlands Hydrology	Indicators that can be Reliable with Proper Interpretation	h Indicators of the Influence of Water
Water-stained leaves	Hydrological records	Direct observation of inundation
Evidence of aquatic fauna	Free water in a soil test hole	Drainage patterns
Iron deposits	Saturated soil	Drift lines
Algal mats or crusts	Water marks	Scoured areas
Oxidized rhizospheres/pore linings	Moss trim lines	Sediment deposits
Thin muck surfaces	Presence of reduced iron	Surface soil cracks
Plants with air-filled tissue	Woody plants with adventition	
(aerenchyma)	roots	surface
Plants with polymorphic leaves	Trees with shallow root syster	ms Microtopographic relief
Plants with floating leaves	Woody plants with enlarged	Geographic position (depression,
Hydrogen sulfide odor	lenticels	toe of slope, fringing lowland
Remarks (describe recorded data from s	tream gauge, monitoring well, aeria	l photos, previous inspections, if available):

This form is only for BVW delineations. Other wetland resource areas may be present and should be delineated according to the applicable regulatory provisions.

Sampling Point

VEGETATION – Use both common and scientific names of plants.

Tree Stratum	Plot size					
			Indicator	Absolute	Dominant?	Wetland
			Status	% Cover	(yes/no)	Indictor?
Common name	Scientific name	9				(yes/no)
1.						
2.						
3.						
4.						
5.						
6.						
7.						
8.						
9.						
			= T	otal Cover	l .	l .
Chrub/Capling Ctratum	Diet size					
Shrub/Sapling Stratum	Plot size					
				Absolute	Dominant?	Wetland
	0.1		Status	% Cover	(yes/no)	Indictor?
Common name	Scientific name	9			T	(yes/no)
1.						
2.						
3.						
4.						
5.						
6.						
7.						
8.						
9.						
			= T	otal Cover		
Herb Stratum	Plot size					
Terb Stratam	1100 3120		Indicator	Absolute	Dominant?	Wetland
			Status	% Cover	(yes/no)	Indictor?
Common name	Scientific name	2	Status	70 COVEI	(yes/110)	(yes/no)
1.	Scientific flame	-				(уез/110)
2.						
3.						
4.						
5.						
6.						
7.						
8.						
9.						
10.						
11.						
12.						
			= T	otal Cover		

VEGETATION – continued.

Woody Vine Stratum	Plot size	_			
		Indicator Status	Absolute % Cover	Dominant? (yes/no)	Wetland Indictor?
Common name	Scientific name				(yes/no)
1.					
2.					
3.					
4.					
= Total Cover					

Rapid Test: Do all dominant species have an indicator status of OBL or FACW? Yes No					
Dominance Test:	Number of dominant species	Number of dominant species that are wetland indicator plants		Do wetland indicator plants make up ≥ 50% of dominant plant species?	
				YesNo	
Prevalence Index:		Total % Cover (all strata)	Multiply by:	Result	
	OBL species		X 1	=	
	FACW species		X 2	=	
	FAC species		Х3	=	
	FACU species		X 4	=	
	UPL species		X 5	=	
	Column Totals	(A)		(B)	
Prevalence Index		B/A =		Is the Prevalence Index ≤ 3.0?	
				YesNo	
Wetland vegetation criterion met? Yes No					

Definitions of Vegetation Strata

Tree - Woody plants 3 in. (7.62 cm) or more in diameter at breast height (DBH), regardless of height

Shrub / Sapling - Woody plants less than 3 in. (7.62 cm) DBH and greater than or equal to 3.3 ft. (1 m) tall

Herb - All herbaceous (non-woody plants, regardless of size, and woody plants less than 3.3 ft. (1 m) tall

Woody vines - All woody vines greater than 3.3 ft. (1 m) in height

Cover Ranges			
Range	Midpoint		
1-5 %	3.0 %		
6-15 %	10.5 %		
15-25 %	20.5 %		
26-50 %	38.0 %		
51-75 %	63.0 %		
76-95 %	85.5 %		
96-100 %	98.0 %		

Form Revised July 2023 3

SOIL

Profile Desc	ription: (Describe	to the	depth needed to	docum	ent the ir	ndicator c	r confirm the abs	ence of indicators)
Depth	Matrix		Redox F		eatures			
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	Locatio	n ² Texture	Remarks
¹Typo: C=Con	centration, D=Depl	lotion P	M-Poducod Matri	V NAS-N	Aackad San	d Grains	² l ocation: DI –Por	e Lining, M=Matrix
	ndicators (Check			IX, IVI3-IV	iaskeu saii	u Grains		oblematic Hydric Soils
Histoso		an that		zalue Re	low Surfa	ce (S8)	2 cm Muck	-
	pipedon (A2)				rface (S9)			Peat or Peat (S3)
	istic (A3)				ed Matrix			nese Masses (F12)
Hydrogen Sulfide (A4) Depleted Matrix (F3) Mesic Spodic (A17)								
Stratified Layers (A5) Redox Dark Surface (F6) Red Parent Material								
Depleted Below Dark Surface (A11) Depleted Dark Surface (F7)					Very Shallow Dark Surface (F22)			
Thick Dark Surface (A12) Redox Depressions (F8)						, ,		
Sandy N	Mucky Mineral (S1	L)			<u>`</u>	·		
Sandy G	Gleyed Matrix (S4))						
Sandy F	Redox (S5)						Other (Inclu	de Explanation in
Stripped Matrix (S6) Remarks)								
Dark Su	rface (S7)							
Restrictive L	ayer (if observed) Тур	oe:			De	pth (inches):	
Remarks:								
Hydric Soils	criterion met?		Yes	No				

BORDERING VEGETATED WETLAND DETERMINATION FORM

Project/Site:	City/Town:	Sampling Date:
Applicant/Owner:	Sam	pling Point or Zone:
Investigator(s):	Latit	rude / Longitude:
		or DEP Classification:
Are climatic/hydrologic conditions on the	site typical for this time of year?	YesNo (If no, explain in Remarks)
Are Vegetation, Soil, or	Hydrology significantly distu	rbed? (If yes, explain in Remarks)
Are Vegetation, Soil, or	Hydrology naturally problem	natic? (If yes, explain in Remarks)
SUMMARY OF FINDINGS – Attach site ma		
Wetland vegetation criterion met?		Sampled Area Yes No
Hydric Soils criterion met?		n a Wetland?
Wetlands hydrology present?	YesNo	
Remarks, Photo Details, Flagging, etc.:		
HYDROLOGY		
Field Observations:		
Surface Water Present?	Vec No	Depth (inches)
Water Table Present?		
		Depth (inches)
Saturation Present (including capillary fr	inge)? Yes No	Depth (inches)
Wetland Hydrology Indicators		
Reliable Indicators of Wetlands Hydrology	Indicators that can be Reliable with Proper Interpretation	h Indicators of the Influence of Water
Water-stained leaves	Hydrological records	Direct observation of inundation
Evidence of aquatic fauna	Free water in a soil test hole	Drainage patterns
Iron deposits	Saturated soil	Drift lines
Algal mats or crusts	Water marks	Scoured areas
Oxidized rhizospheres/pore linings	Moss trim lines	Sediment deposits
Thin muck surfaces	Presence of reduced iron	Surface soil cracks
Plants with air-filled tissue	Woody plants with adventition	
(aerenchyma)	roots	surface
Plants with polymorphic leaves	Trees with shallow root syster	ms Microtopographic relief
Plants with floating leaves	Woody plants with enlarged	Geographic position (depression,
Hydrogen sulfide odor	lenticels	toe of slope, fringing lowland
Remarks (describe recorded data from s	tream gauge, monitoring well, aeria	l photos, previous inspections, if available):

This form is only for BVW delineations. Other wetland resource areas may be present and should be delineated according to the applicable regulatory provisions.

Sampling Point

VEGETATION – Use both common and scientific names of plants.

Tree Stratum	Plot size					
			Indicator	Absolute	Dominant?	Wetland
			Status	% Cover	(yes/no)	Indictor?
Common name	Scientific name	2				(yes/no)
1.						
2.						
3.						
4.						
5.						
6.						
7.						
8.						
9.						
	I		= T	otal Cover	<u> </u>	l .
Chrub/Capling Ctratum	Diet size					
Shrub/Sapling Stratum	Plot size					
				Absolute	Dominant?	Wetland
			Status	% Cover	(yes/no)	Indictor?
Common name	Scientific name	5		1	T	(yes/no)
1.						
2.						
3.						
4.						
5.						
6.						
7.						
8.						
9.						
			= T	otal Cover		
Herb Stratum	Plot size					
Terb Stratam	1100 3120		Indicator	Absolute	Dominant?	Wetland
			Status	% Cover	(yes/no)	Indictor?
Common name	Scientific name	2	Status	70 COVEI	(yes/110)	(yes/no)
1.	Scientific flame					(yes/110)
2.						
3.						
4.						
5.						
6.						
7.						
8.						
9.						
10.						
11.						
12.						
			= T	otal Cover		

VEGETATION – continued.

Woody Vine Stratum	Plot size	_					
		Indicator Status	Absolute % Cover	Dominant? (yes/no)	Wetland Indictor?		
Common name	Scientific name				(yes/no)		
1.							
2.							
3.							
4.							
= Total Cover							

Rapid Test: Do all dominant species have an indicator status of OBL or FACW? Yes No							
Dominance Test:	Number of dominant species	Number of dominant speci wetland indicator plants	es that are	Do wetland indicator plants make up ≥ 50% of dominant plant species?			
				YesNo			
Prevalence Index:		Total % Cover (all strata)	Multiply by:	Result			
	OBL species		X 1	=			
	FACW species		X 2	=			
	FAC species		Х3	=			
	FACU species		X 4	=			
	UPL species		X 5	=			
	Column Totals	(A)		(B)			
Prevalence Index		B/A =		Is the Prevalence Index ≤ 3.0?			
				YesNo			
Wetland vegetation	n criterion met?	Yes No					

Definitions of Vegetation Strata

Tree - Woody plants 3 in. (7.62 cm) or more in diameter at breast height (DBH), regardless of height Shrub / Sapling - Woody plants less than 3 in. (7.62 cm) DBH and greater than or equal to 3.3 ft. (1 m) tall

Herb - All herbaceous (non-woody plants, regardless of size, and woody plants less than 3.3 ft. (1 m) tall

Woody vines - All woody vines greater than 3.3 ft. (1 m) in height

Cover Ranges						
Range	Midpoint					
1-5 %	3.0 %					
6-15 %	10.5 %					
15-25 %	20.5 %					
26-50 %	38.0 %					
51-75 %	63.0 %					
76-95 %	85.5 %					
96-100 %	98.0 %					

SOIL

Profile Desc	ription: (Describe	to the	depth needed to	docum	ent the ir	ndicator c	r confirm the abs	ence of indicators)
Depth	Matrix		Redox F		eatures			
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	Locatio	n ² Texture	Remarks
¹Typo: C=Con	centration, D=Depl	lotion P	M-Poducod Matri	V NAS-N	Aackad San	d Grains	² l ocation: DI –Por	e Lining, M=Matrix
	ndicators (Check			IX, IVI3-IV	iaskeu saii	u Grains		oblematic Hydric Soils
Histoso		an that		zalue Re	low Surfa	ce (S8)	2 cm Muck	-
	pipedon (A2)				rface (S9)			Peat or Peat (S3)
	istic (A3)				ed Matrix			nese Masses (F12)
Hydrogen Sulfide (A4) Depleted Matrix (F3) Mesic Spodic (A17)								
Stratified Layers (A5) Redox Dark Surface (F6) Red Parent Material								
Depleted Below Dark Surface (A11) Depleted Dark Surface (F7)					Very Shallow Dark Surface (F22)			
Thick Dark Surface (A12) Redox Depressions (F8)						, ,		
Sandy N	Mucky Mineral (S1	L)			<u>`</u>	·		
Sandy G	Gleyed Matrix (S4))						
Sandy F	Redox (S5)						Other (Inclu	de Explanation in
Stripped Matrix (S6) Remarks)								
Dark Su	rface (S7)							
Restrictive L	ayer (if observed) Тур	oe:			De	pth (inches):	
Remarks:								
Hydric Soils	criterion met?		Yes	No				

BORDERING VEGETATED WETLAND DETERMINATION FORM

Project/Site:	City/Town:	Sampling Date:
Applicant/Owner:	Sam	pling Point or Zone:
Investigator(s):	Latit	rude / Longitude:
		or DEP Classification:
Are climatic/hydrologic conditions on the	site typical for this time of year?	YesNo (If no, explain in Remarks)
Are Vegetation, Soil, or	Hydrology significantly distu	rbed? (If yes, explain in Remarks)
Are Vegetation, Soil, or	Hydrology naturally problem	natic? (If yes, explain in Remarks)
SUMMARY OF FINDINGS – Attach site ma		
Wetland vegetation criterion met?		Sampled Area Yes No
Hydric Soils criterion met?		n a Wetland?
Wetlands hydrology present?	YesNo	
Remarks, Photo Details, Flagging, etc.:		
HYDROLOGY		
Field Observations:		
Surface Water Present?	Vec No	Depth (inches)
Water Table Present?		
		Depth (inches)
Saturation Present (including capillary fr	inge)? Yes No	Depth (inches)
Wetland Hydrology Indicators		
Reliable Indicators of Wetlands Hydrology	Indicators that can be Reliable with Proper Interpretation	h Indicators of the Influence of Water
Water-stained leaves	Hydrological records	Direct observation of inundation
Evidence of aquatic fauna	Free water in a soil test hole	Drainage patterns
Iron deposits	Saturated soil	Drift lines
Algal mats or crusts	Water marks	Scoured areas
Oxidized rhizospheres/pore linings	Moss trim lines	Sediment deposits
Thin muck surfaces	Presence of reduced iron	Surface soil cracks
Plants with air-filled tissue	Woody plants with adventition	
(aerenchyma)	roots	surface
Plants with polymorphic leaves	Trees with shallow root syster	ms Microtopographic relief
Plants with floating leaves	Woody plants with enlarged	Geographic position (depression,
Hydrogen sulfide odor	lenticels	toe of slope, fringing lowland
Remarks (describe recorded data from s	tream gauge, monitoring well, aeria	l photos, previous inspections, if available):

This form is only for BVW delineations. Other wetland resource areas may be present and should be delineated according to the applicable regulatory provisions.

Sampling Point

VEGETATION – Use both common and scientific names of plants.

Tree Stratum	Plot size					
			Indicator	Absolute	Dominant?	Wetland
			Status	% Cover	(yes/no)	Indictor?
Common name	Scientific name	2				(yes/no)
1.						
2.						
3.						
4.						
5.						
6.						
7.						
8.						
9.						
	I		= T	otal Cover	l .	l .
Chrub/Capling Ctratum	Diet size					
Shrub/Sapling Stratum	Plot size					
				Absolute	Dominant?	Wetland
			Status	% Cover	(yes/no)	Indictor?
Common name	Scientific name	5		1	T	(yes/no)
1.						
2.						
3.						
4.						
5.						
6.						
7.						
8.						
9.						
			= T	otal Cover		
Herb Stratum	Plot size					
Terb Stratam	1100 3120		Indicator	Absolute	Dominant?	Wetland
			Status	% Cover	(yes/no)	Indictor?
Common name	Scientific name	2	Status	70 COVEI	(yes/110)	(yes/no)
1.	Scientific flame					(yes/110)
2.						
3.						
4.						
5.						
6.						
7.						
8.						
9.						
10.						
11.						
12.						
			= T	otal Cover		

VEGETATION – continued.

Woody Vine Stratum	Plot size	_			
		Indicator Status	Absolute % Cover	Dominant? (yes/no)	Wetland Indictor?
Common name	Scientific name				(yes/no)
1.					
2.					
3.					
4.					
= Total Cover					

Rapid Test: Do all dominant species have an indicator status of OBL or FACW? Yes No						
Dominance Test:	Number of dominant species	Number of dominant species that are wetland indicator plants		Do wetland indicator plants make up ≥ 50% of dominant plant species?		
				YesNo		
Prevalence Index:		Total % Cover (all strata)	Multiply by:	Result		
	OBL species		X 1	=		
	FACW species		X 2	=		
	FAC species		Х3	=		
	FACU species		X 4	=		
	UPL species		X 5	=		
	Column Totals	(A)		(B)		
Prevalence Index		B/A =		Is the Prevalence Index ≤ 3.0?		
				YesNo		
Wetland vegetation criterion met? Yes No						

Definitions of Vegetation Strata

Tree - Woody plants 3 in. (7.62 cm) or more in diameter at breast height (DBH), regardless of height Shrub / Sapling - Woody plants less than 3 in. (7.62 cm) DBH and greater than or equal to 3.3 ft. (1 m) tall

Herb - All herbaceous (non-woody plants, regardless of size, and woody plants less than 3.3 ft. (1 m) tall

Woody vines - All woody vines greater than 3.3 ft. (1 m) in height

Cover Ranges				
Range	Midpoint			
1-5 %	3.0 %			
6-15 %	10.5 %			
15-25 %	20.5 %			
26-50 %	38.0 %			
51-75 %	63.0 %			
76-95 %	85.5 %			
96-100 %	98.0 %			

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators)									
Depth	Matrix			1	eatures	T			
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	Locatio	n ² Texture	Remarks	
¹Typo: C=Con	centration, D=Depl	lotion P	M-Poducod Matri	V NAS-N	Aackad San	d Grains	² l ocation: DI –Por	e Lining, M=Matrix	
	ndicators (Check			IX, IVI3-IV	iaskeu saii	u Grains		oblematic Hydric Soils	
		an that		zalue Re	low Surfa	ce (S8)	2 cm Muck (A10)		
Histosol (A1) Polyvalue Below Surface (S8) Histic Epipedon (A2) Thin Dark Surface (S9)					5 cm Mucky Peat or Peat (S3)				
	istic (A3)				ed Matrix		Iron-Manganese Masses (F12)		
Black Histic (75) Edutity Gleyed Widthx (12) Bydrogen Sulfide (A4) Depleted Matrix (F3)				Mesic Spodic (A17)					
	ed Layers (A5)				Surface (F	6)	Red Parent Material (F21)		
Depleted Below Dark Surface (A11) Depleted Dark Surface (F7)				Very Shallow Dark Surface (F22)					
Thick Dark Surface (A12) Redox Depressions (F8)					, ,				
Sandy Mucky Mineral (S1)									
Sandy G	Gleyed Matrix (S4))							
Sandy F	Redox (S5)						Other (Include Explanation in		
Stripped Matrix (S6)				Remarks)					
Dark Su	rface (S7)								
Restrictive Layer (if observed) Type: Depth (inches):									
Remarks:									
Hydric Soils	criterion met?		Yes	No					


Attachment E Project Plans



TOWN OF FRANKLIN, MASSACHUSETTS

FISHER STREET WATER TREATMENT PLANT UPGRADES

CONTRACT NO. XXXX



LOCATION PLAN SCALE: NTS

APRIL 2024 90% SUBMITTAL NOT FOR CONSTRUCTION FOR PERMITTING PURPOSES ONLY



BOSTON, MASSACHUSETTS

Facilities

TOWN ADMINISTRATOR

JAMIE HELLEN

DEPUTY TOWN ADMINISTRATOR

AMY FRIGULIETTI

ACTING DIRECTOR OF PUBLIC WORKS

MICHAEL MAGLIO, P.E.

WATER & SEWER SUPERINTENDENT

DOUGLAS MARTIN, P.E.

Water

Environment

Transportation

Energy

