TOWN OF FRANKLIN INSPECTION DEPARTMENT

Building Inspection – Division of Wires – Division of Gas Division of Plumbing MUNICIPAL BUILDING – 355 East Central Street Franklin, Massachusetts 02038

Lloyd (Gus) Brown **Building Commissioner**

Telephone: 508-520-4926 FAX: 508-520-4906

ZONING REVIEW

APPLICANT:

Hallie Wetzell and Nicholas Paone

LOCATION:

394 Washington Street

ZONING DISTRICT: Single Family 111

TYPE OF PROJECT: Construct a Detached 24' X 36' Garage with an Accessory

Dwelling Unit Above

DATE: 08/17/2023

DENY

SPECIAL PERMIT and VARIANCE

ZONING BY LAW SECTIONS: 185 Attachment 8 A21 and 185 Attachment 9 Schedule of Lot, Area, Frontage, Yard and Height Requirements

REASON FOR DENIAL: Applicant is seeking to construct a detached 24' x 36' garage with an Accessory Dwelling Unit above that is 5.0' from the rear lot line. The building permit is denied without a Special Permit and a Variance from the ZBA.

APPEAL OF DENIAL OPTIONS:

ZONING BOARD OF APPE	EALS	
APPLICANT SIGNATURE		

ZONING OFFICIAL SIGNATURE LAB 08/17/2023 DATE

TOWN OF FRANKLIN ZONING BOARD OF APPEALS

Municipal Building 355 East Central Street Franklin, MA 02038 508-520-4926

RECEIVED TOWN OF FRANKLIN

TOWN OF FRANKLIN TOWN CLERK

ZBA APPLICATION FORM

AUG 15 2023

2023 AUG 15 1 A 11: 44

GENERAL INFORMATION

ZONING BOARD OF APPEALS

200	
The undersigned hereby petitions the Zoning	Board of Appeals for the following:
Special Permit: X Variance: X	Appeal:
PETITIONER: Hallie Wetzell & Nichola	
PETITIONER'S ADDRESS: 394 Washington St	reet PHONE: 617-905-3682
LOCATION OF PROPERTY: 394 Washington St	reet
TYPE OF OCCUPANCY: Residential zo	NING DISTRICT: Single Family III
ASSESSORS MAP & PARCEL: AM 312 Parcel 6	
REASON FOR PETITION:	
Additions	X New Structure
Change in Use/Occupancy	Parking
Conversion to Addi'l Dwelling	Unit's Sign
Dormer	
X Other: Accessory Dwelling	Junit — Subdivision
DESCRIPTION OF PETITIONER'S PROPOSAL:	
To construct a 24'x36' accessory du in-law apartment for their mother-	
SECTIONS OF ZONING ORDINANCE CITED:	
Article 185 Section Schedule 8 Part VII	to allow an ADU in SFR III
Article 185 Section 14: To allow more the	han one building on a lot
Article 185 Section required front yard	an accessory structure within the
Applicants for a Variance must complete Pag Applicants for a Special Permit must comple Applicants for an Appeal to the ZBA pursuar must attach a statement concerning the reas	res 1-5 te Pages 1-4 and 6 nt to Zoning Bylaw section 185-45 (D)
Original Signature(s):	(Petitioner(s)/Owner) Hallie Wetzell/Nicholas Paone
Address:	(Print Name) 394 Washington Street Franklin, MA 02038
Tel. No.:	617-905-3682
E-Mail Addres	ss: hwetzell@aol.com
Data:	



www.gandhengineering.com Est. 1972

F-4611

Milford Office 333 West Street

Whitinsville Office 1029 Providence Road Whitinsville, MA 01588-2121 Phone: (508) 234-6834 Fax: (508) 234-6723

P.O. Box 235

Milford, MA 01757-0235 Phone: (508) 473-6630 Fax: (508) 473-8243

Franklin Office

Phone (508) 528-3221 Fax (508) 528-7921

55 West Central Street Franklin, MA 02038-3807

Re:

August 14, 2023

Attn: Casey Thayer

355 E Central Street Franklin, MA 02038

Zoning Board of Appeals

Special Permit Request - 394 Washington Street

Dear Zoning Board Members:

As the applicant's representative, Guerriere & Halnon, Inc. (G & H) hereby submits the variance and special permit application and plan documents in accordance with the Town of Franklin Submittal Requirements. We have provided one original and 7 copies of the application and the following supporting documentation for your review and approval.

As part of the submittal G & H has included the following:

- ZBA Application Forms;
- Certified Abutters List;
- (8) 18x24 Special Permit Plot Plan (with wet stamp);
- Recharge Chamber Specifications

Tressett

Filing Fee - \$600.00

We trust this meets with your requirements. Please contact us at our Franklin office at (508) 528-3221 if you have any questions or require additional information.

Sincerely,

Guerriere & Halnon, Inc.

Michael Hassett Project Engineer

Enclosures

TOWN OF FRANKLIN ZONING BOARD OF APPEALS

Municipal Building 355 East Central Street Franklin, MA 02038 508-520-4926

ZBA APPLICATION FORM - OWNERSHIP INFORMATION

To be completed by OWNER, signed and returned to the Secretary of the Zoning Board of Appeals.

I/We Hallie Wetzell & Nicholas Paone				
(OWNER)				
Address: 394 Washington Street				
State that I/We own the property located at 394 Washington Street,				
which is the subject of this zoning application.				
The record title of this property is in the name of				
*Pursuant to a deed of duly recorded in the date 8-8-2013 , Norfolk				
County Registry of Deeds at Book 31636 , Page 270 ; or				
Dedham Registry District of Land Court, Certificate No				
BookPage				

AUTHORIZED TRUSTEE, OFFICER OR AGENT*

TOWN OF FRANKLIN ZONING BOARD OF APPEALS

Municipal Building 355 East Central Street Franklin, MA 02038 508-520-4926

ZBA APPLICATION FORM

DIMENSIONAL INFORMATION

APPLICANT: Hallie V					ly residential
LOCATION: 394 Wash	ington Stree	t	zone:_SFR]		
PHONE : 617-905-36	82	REQUESTED USE/O	CCUPANCY: Accesso	ory Structure	e/In Law Apt
		EXISTING CONDITIONS	REQUESTED CONDITIONS	ORDINANCE REQUIREMENTS	.1
Lot Area:		<u>54,521+/- s</u> f	54,521+/- sf	20,000+/-	sf(min.)
Continuous Frontage	<u>:</u>	578.14 lf	NC	125 lf	(min.)
Size of Lot:	Width	_xx lf	NC	112.5 lf	(min.)
	Depth	136 lf	NC NC	160 lf	(min)
Setbacks in	Front	31.4 ft	31.6 ft	40 ft	(min.)
Feet:	Rear	25 ft	5.0 ft	30	(min.)
	Left Side	305 ft	NC	25 lf	(min.)
	Right Side	N/A	NA	25 lf	(min.)
Building Height:	Stories	2	NC	3 lf	_(max.)
	Feet	NC	NC	35 lf	(max.)
NO. of Dwelling Unit	<u>ts</u> :	3	4		_(max.)
NO. of Parking Spaces:		2		(min./max)	
Describe where applion same lot, and steel, etc. Existing single for non-conforming lo	type of const	oom wood frame	d, e.g.; wood fra d house on a pre-	me, concrete, -existing	ildings brick,

SEE FRANKLIN ZONING BYLAW ARTICLE 185, ATTACHMENT 9.

TOWN OF FRANKLIN ZONING BOARD OF APPEALS

Municipal Building 355 East Central Street Franklin, MA 02038 508-520-4926

ZBA APPLICATION FORM

SUPPORTING STATEMENT FOR A VARIANCE

EACH OF THE FOLLOWING REQUIREMENTS FOR A VARIANCE MUST BE ESTABLISHED AND SET FORTH IN COMPLETE DETAIL BY THE APPLICANT IN ACCORDANCE WITH ZONING BYLAW SECTION 185-45 (D) (2) (6) AND MGL 40A, SECTION 10:

A) A Literal enforcement of the provisions of this Zoning bylaw would involve a substantial hardship, financial or otherwise, to the petitioner or appellant for the following reasons:

The Applicant currently resides in Franklin and a literal enforcement of the provisions of this bylaw would prohibit the construction of an ADU and further restrict financially feasible options to have their mother be closer to family for assistance as she continues to age.

The hardship is owing to the following circumstances relating to the soil B) conditions, shape or topography of such land or structures and especially affecting such land or structures but not affecting generally the zoning district in which it is located for the following reasons:

The property boundary is irregular in shape and has a significant amount of wetlands on the northern side of the property. Therefore, the most irregular shaped portion of the property is the only possible location to construct an accessory dwelling unit (ADU) and minimize impacts to the abutting resource areas.

- C) Desirable relief may be granted without either:
 - 1) Substantial detriment to the public good for the following reasons:
- The ADU is proposed for the Owner's aging mother to live in close proximity to her son, while still maintaining her independence.
- The ADU is strictly for a family member
- 2) Nullifying or substantially derogating from the intent or purpose of this Zoning Bylaw for the following reasons:
 - Based on recent Town Council meetings, proposed amendments to the Zoning Bylaws to allow ADUs by special permit are currently under review.
- The proposed ADU has been positioned on the property in accordance with the proposed amendments and would not substantially derogate or nullify the intent or purpose of this bylaw.

 If you have any questions as to whether you can establish all of the

applicable legal requirements, you should consult with your own attorney.



ZBA APPLICATION FORM SUPPORTING STATEMENT FOR A SPECIAL PERMIT

Please describe in complete detail how you meet each of the following criteria in accordance with Zoning Bylaw Section 185-45(D)(2)(a) referring to the property and proposed changes or uses which are requested in your application. Attach sheets with additional information for special permits for which additional criteria must be met under the Zoning Bylaw.

185-45(D)(2)(A) BOARD OF APPEALS: TO HEAR AND DECIDE APPLICATIONS FOR SPECIAL PERMITS UPON WHICH THE BOARD IS EMPOWERED TO ACT UNDER THIS CHAPTER. SPECIAL PERMITS SHALL BE GRANTED BY THE BOARD OF APPEALS ONLY UPON ITS WRITTEN DETERMINATION THAT THE PROPOSED USE WILL NOT HAVE ADVERSE EFFECTS WHICH OVERBALANCE ITS BENEFICIAL EFFECTS ON EITHER THE NEIGHBORHOOD OR THE TOWN, IN VIEW OF THE PARTICULAR CHARACTERISTICS OF THE SITE AND OF THE PROPOSAL IN RELATION TO THAT SITE. THIS DETERMINATION SHALL BE IN ADDITION TO THE FOLLOWING SPECIFIC FINDINGS:

(1) Proposed project addresses or is consistent with neighborhood or Town need.

The proposed ADU would fit into the existing neighborhood and will be the same style as the existing home.

(2) Vehicular traffic flow, access and parking and pedestrian safety are properly addressed.

The ADU will not effect the existing traffic flow or pedestrian safety.

(3) Public roadways, drainage, utilities and other infrastructure are adequate or will be upgraded to accommodate development.

The proposed ADU would have separate utility connections in accordance with the Town requirements

(4) Neighborhood character and social structure will not be negatively impacted.

The ADU will be of the same character as the existing structure and will not negatively impact the neighborhood.

(5) Project will not destroy or cause substantial damage to any environmentally significant natural resource, habitat, or feature or, if it will, proposed mitigation, remediation, replication, or compensatory measures are adequate.

The ADU has been proposed in an area pre-disturbed and outside of the resource areas

- (6) Number, height, bulk, location and siting of building(s) and structure(s) will not result in abutting properties being deprived of light or fresh air circulation or being exposed to flooding or subjected to excessive noise, odor, light, vibrations, or airborne particulates. The ADU will be in the same character of the existing structure and will not result in any deprivation to the neighborhood.
- (7) Water consumption and sewer use, taking into consideration current and projected future local water supply and demand and wastewater treatment capacity, will not be excessive.

Water consumption and sewer use will be minimal based on the proposed use.

NOT NOT
AN AN

Property Address: OFFICIAL OFFICIAL

394 Washington Street, Frankling PY

Massachusetts 02038

100

Quitclaim Deed

1, Frederick Alfred Wetzell, III, Trustee of Frederick A Wetzell III 2003 Revocable Trust under trust dated 06/24/2003, of 394 Washington Street, Franklin, Massachusetts 02038 in consideration of Three Hundred Fifty Thousand and 00/100 Dollars (\$350,000.00) grant to Hallie Wetzell and Nicholas Paone, tenants in common of 394 Washington Street, Franklin, Massachusetts 02038

with QUITCLAIM COVENANTS

The Land on the easterly side of Washington Street in Franklin, Norfolk County, Massachusetts, bounded and described as follows:

Beginning at the southwesterly comer of land now or formerly of the heirs of the late George W. Nason, by said street; thence

in a Southwesterly direction on the easterly side of said Washington Street on the line of the Rhode Island and Massachusetts Railroad; thence

Northeasterly on the line of said Railroad to land now or formerly owned by said Nason heirs, at or near an old cartroad; thence in a

Northwesterly direction on said Nason's land to said Washington Street at the place of beginning.

For Grantors title see Deed from Barbara W Pizzelli, Trustee, Dated August 23, 2006 and Recorded with the Norfolk Registry of Deeds on August 23, 2006 at 02:07 PM at Book 24004 Page 502,

394 W

MASSACHUSETTS STATE EXCISE TAX Norfolk Registry of Deeds

Date: 08-08-2013 @ 10:32am Ctl#: 391 Doc#: 9

Ct1#: 391 Doc#: 95962 Fee: \$1,596.00 Cons: \$350,000.00

COP	Y Y C	OPY	
Executed as a sealed instrument this	Bay August 2013 Utf De Truster		
Con	nmonwealth of Massac	chusetts, ss:	
On this	ee of Frederick A Wetzell III 200 sfactory evidence of identification ment Issued ID: Other, to be the	le person whose name is signed on the	
	. Nota	ry Public	

NOT

AN

N O T

OFFICIAL OFFICIAL

A N

CALIFORNIA ALL-PURPOSE ACKNOWLEDGMENT

STATE OF CALIFORNIA \(\) \(\	NOT
COUNTY OF 100 HIVELES	, A N
On Way before me	NUM POGGO
Notary Public personally appeared The Affre of	Wetzell, TIT
	who proved to me on the basis of satisfactory
evidence to be the person(\$) whose name(\$) (\$) are sub-	
me that fieldshetthey executed the same in his her/their	
signature(\$) on the instrument the person(\$), or the enti-	ty upon behalf of which the person(s) acted, executed
the instrument.	
I certify under PENALTY OF PERJURY under the laws is true and correct.	of the State of California that the foregoing paragraph
	300000000000000000000000000000000000000
WITNESS my hand and official seal.	SHAWN ARAGON
	Commission # 1959024
	Notary Public - California Los Angeles County
	My Comm. Expires Nov 29, 2015
	Affix Notary Seal Here

Though the data below is not required by law, it may prove valuable to persons relying on the document and could prevent fraudulent reattachment of this form.

CAPACITY CLAIMED BY SIGNER	DESCRIPTION OF ATTACHED DOCUMENT
NDIVIDUAL CORPORATE OFFICER Title(s)	Quitain Dalot Title or type of document
☐ Partner(s) ☐ Limited ☐ General ☐ Attorney-In-Fact ☐ Trustee(s) ☐ Guardian/Conservator ☐ Other:	Number of Pages 8/4/3 Date of Document
Signer is representing: Name of person(s) or entity(ies)	Signer(s) other then named above

acavaliere @ gandhengineering.ca

Town of Franklin – Board of Assessors


355 East Central Street Franklin, MA 02038 Tel # 508-520-4920 Fax # 508-520-4923




Abutters List Request Form

Please Note: A \$25.00 fee per list is required to process your request. Payment is due at the time of submission of this form. Please allow 10 days from the date of both payment and submission of the form for the Assessors office to complete processing your request. (Revised 1-1-22)

Date of Request 8 / / / 2023
Assessors Parcel ID # (12 digits) 312 - 006 - 000 - 000
Property Street Address 394 Washington St.
Distance Required From Parcel # listed above (Circle One): 500 300 100 (Note: if a distance is not circled, we cannot process your request)
Property Owner Hallie Wetzell
Property Owner's Mailing Address. 394 Washington Street
Town/City Franklin State MA. Zip Code 02038
Property Owner's Telephone # 617 - 905 - 3682
Requestor's Name (if different from Owner) Guerriere & Halnon, Inc.
Requestor's Address55 West Central Street Franklin, MA.
Requestor's Telephone #5085283221
Office Use Only: Date Fee Paid/ Paid in Cash \$
Paid by Check \$ Check # Town Receipt #
Please Circle One:
Administration Conservation Planning Zoning Board of Appeals





Subject Property:

Parcel Number:

312-006-000

CAMA Number:

312-006-000-000

Property Address: 394 WASHINGTON ST

Mailing Address: WETZELL HALLIE PAONE NICHOLAS

394 WASHINGTON ST

FRANKLIN, MA 02038

Abutters:

Parcel Number: CAMA Number:

305-003-000

305-003-000-000 Property Address: 291 WASHINGTON ST

Parcel Number: CAMA Number:

312-003-000

312-003-000-000

Property Address: 400 WASHINGTON ST

Parcel Number: CAMA Number:

312-004-000-000

Property Address: 372 WASHINGTON ST

Property Address: 394 WASHINGTON ST

Parcel Number: CAMA Number:

Parcel Number:

CAMA Number:

Parcel Number:

CAMA Number:

312-005-000

312-005-000-000 Property Address: 1 WILSON RD

312-006-000

312-007-000

312-007-000-000

312-006-000-000

312-004-000

FRANKLIN, MA 02038

Parcel Number:

312-008-000 312-008-000-000

CAMA Number:

Property Address: 4 IVY LN

Parcel Number: 312-009-000

Property Address: 2 IVY LN

CAMA Number: 312-009-000-000

Property Address: 6 IVY LN

312-011-000

Parcel Number: CAMA Number:

312-011-000-000 Property Address: WASHINGTON ST

Parcel Number: 312-013-000

CAMA Number: 312-013-000-000

Property Address: IVY LN

Mailing Address: CHENT REALTY INC

291 WASHINGTON ST FRANKLIN, MA 02038

Mailing Address: EASTMAN CHARLES F III EASTMAN

MIREILLE T

400 WASHINGTON ST FRANKLIN, MA 02038

Mailing Address: DANIELLO ALBERT AJR DANIELLO THERESA M

372 WASHINGTON ST FRANKLIN, MA 02038

Mailing Address: VERNEY LAWRENCE J VERNEY RITA E

1 WILSON RD FRANKLIN, MA 02038

Mailing Address: WETZELL HALLIE PAONE NICHOLAS 394 WASHINGTON ST

FRANKLIN, MA 02038

Mailing Address: CARUSO MICHAEL CARUSO VANESSA 2 IVY LN

Mailing Address: RIPLEY JAMES F RIPLEY LAUREL E 4 IVY LN

FRANKLIN, MA 02038

Mailing Address: TRAN DUC THUY DANG

6 IVY LN

FRANKLIN, MA 02038

Mailing Address: FRANKLIN TOWN OF


355 EAST CENTRAL STREET

FRANKLIN, MA 02038

Mailing Address: KANE JOHN

1 IVY LN

FRANKLIN, MA 02038



Parcel Number: CAMA Number: 312-015-000

312-015-000-000

Property Address: 3 IVY LN

Mailing Address: MOORE ROBERT E KIRK KRISTEN

3 IVY LN

FRANKLIN, MA 02038

Parcel Number: CAMA Number: 312-016-000

312-016-000-000

Property Address: 1 IVY LN

Mailing Address: BOYCE KEVIN BOYCE KATIE

1 IVY LN

FRANKLIN, MA 02038

Parcel Number: CAMA Number:

312-020-000

312-020-000-000 Property Address: 100 FINANCIAL PARK

Mailing Address: ICBP IV HOLDINGS 34 LLC C/O

BERKELEY PARTNERS

1 SANSONE STREET - SUITE 1500 SAN FRANCISCO, CA 94104-4448

Parcel Number: CAMA Number: 312-020-001

Property Address: 200 FINANCIAL PARK

312-020-001-000

Mailing Address:

ICBP IV HOLDINGS 34 LLC C/O

BERKELEY PARTNERS

1 SANSONE STREET - SUITE 1500 SAN FRANCISCO, CA 94104-4448

Parcel Number: CAMA Number:

313-024-000 313-024-000-000 Property Address: 4 WILSON RD

Mailing Address:

PAUL VIJU PAUL JINCY

4 WILSON RD

FRANKLIN, MA 02038

Parcel Number: CAMA Number:

313-025-000 313-025-000-000 Property Address: 6 WILSON RD

Mailing Address: ROSS MELISSA M 6 WILSON RD

FRANKLIN, MA 02038

evni 11. Doyle, 8-7-2023

BOYCE KEVIN BOYCE KATIE 1 IVY LN FRANKLIN, MA 02038

RIPLEY JAMES F RIPLEY LAUREL E 4 IVY LN FRANKLIN, MA 02038

CARUSO MICHAEL CARUSO VANESSA 2 IVY LN FRANKLIN, MA 02038

ROSS MELISSA M 6 WILSON RD FRANKLIN, MA 02038

CHENT REALTY INC 291 WASHINGTON ST FRANKLIN, MA 02038 TRAN DUC THUY DANG 6 IVY LN FRANKLIN, MA 02038

DANIELLO ALBERT AJR DANIELLO THERESA M 372 WASHINGTON ST FRANKLIN, MA 02038 VERNEY LAWRENCE J VERNEY RITA E 1 WILSON RD FRANKLIN, MA 02038

EASTMAN CHARLES F III EASTMAN MIREILLE T 400 WASHINGTON ST FRANKLIN, MA 02038

WETZELL HALLIE PAONE NICHOLAS 394 WASHINGTON ST FRANKLIN, MA 02038

FRANKLIN TOWN OF 355 EAST CENTRAL STREET FRANKLIN, MA 02038

ICBP IV HOLDINGS 34 LLC C/O BERKELEY PARTNERS 1 SANSONE STREET - SUITE 1500 SAN FRANCISCO, CA 94104-4448

KANE JOHN 1 IVY LN FRANKLIN, MA 02038

MOORE ROBERT E KIRK KRISTEN 3 IVY LN FRANKLIN, MA 02038

PAUL VIJU PAUL JINCY 4 WILSON RD FRANKLIN, MA 02038

F-4611 Chambers

Prepared by {enter your company name here}
HydroCAD® 10.00-21 s/n 10299 © 2018 HydroCAD Software Solutions LLC

Pond 13P: Cultec C-100HD Chamber - Chamber Wizard Field A

Chamber Model = Cultec C-100HD (Cultec Contactor® 100HD)

Effective Size= 32.1"W x 12.0"H => 1.86 sf x 7.50'L = 14.0 cf Overall Size= 36.0"W x 12.5"H x 8.00'L with 0.50' Overlap Row Length Adjustment= +0.50' x 1.86 sf x 1 rows

2 Chambers/Row x 7.50' Long \pm 0.50' Row Adjustment = 15.50' Row Length \pm 12.0" End Stone x 2 = 17.50' Base Length


1 Rows x 36.0" Wide + 12.0" Side Stone x 2 = 5.00' Base Width 6.0" Base + 12.5" Chamber Height + 6.0" Cover = 2.04' Field Height

2 Chambers x 14.0 cf +0.50' Row Adjustment x 1.86 sf x 1 Rows = 28.9 cf Chamber Storage

178.6 cf Field - 28.9 cf Chambers = 149.8 cf Stone x 40.0% Voids = 59.9 cf Stone Storage

Chamber Storage + Stone Storage = 88.8 cf = 0.002 af Overall Storage Efficiency = 49.7% Overall System Size = 17.50' x 5.00' x 2.04'

2 Chambers6.6 cy Field5.5 cy Stone







CULTEC Contactor® 100HD Stormwater Chamber

The Contactor® 100HD is a 12.5" (318 mm) tall, low profile chamber and is typically used for installations with depth restrictions or when a larger infiltrative area is required. The Contactor 100HD has the side portal internal manifold feature. The HVLV® SFCx2 Feed Connector is inserted into the side portal of the Contactor 100HD to create the internal manifold.

Size (L x W x H)	8' x 36" x 12.5"
	2.44 m x 914 mm x 318 mm
Installed Length	7.5'
	2.29 m
Length Adjustment per Run	0.5' 0.15 m
Chamber Storage	1.87 ft³/ft
-	0.17 m ³ /m
	14.00 ft³/unit
	0.40 m³/unit
Min. Installed Storage	3.84 ft³/ft
	0.36 m³/m
	28.81 ft³/unit
	0.82 m³/unit
Min. Area Required	25 ft²
	2.32 m²
Chamber Weight	38.0 lbs
	17.24 kg
Shipping	55 chambers/skid
	2,195 lbs/skid
	16 skids/48' flatbed
Min. Center to Center Spacing	3.33'
(4) : : : : : : : : : : : : : : : : : : :	1.02 m
Max. Allowable Cover	12'
	3.66 m
Max. Inlet Opening in End Wall	10" HDPE, PVC
	250 mm HDPE, PVC
Max. Allowable O.D.	6" HDPE, PVC
in Side Portal	150 mm HDPE, PVC
Compatible Feed Connector	HVLV SFCx2 Feed Connector

Calculations are based on installed chamber length. All above values are nominal.

Min. installed storage includes 6" (152 mm) stone base, 6" (152 mm) stone above crown of chamber and typical stone surround at 40"(1016 mm) center-to-center spacing.

	Stone Foundation Depth			
	6"	12"	18"	
	152 mm	305 mm	457 mm	
Chamber and Stone Storage Per	28.81 ft ³	33.81 ft ³	38.81 ft ³	
Chamber	0.82 m³	0.96 m^3	1.10 m³	
Min. Effective Depth	2.04'	2.54'	3.04'	
	0.62 m	0.77 m	0.93 m	
Stone Required Per Chamber	1.37 yd³	1.84 yd³	2.30 yd³	
	1.05 m ³	1.40 m³	1.76 m³	

Calculations are based on installed chamber length.
Includes 6" (152 mm) stone above crown of chamber and typical stone surround.
Stone void calculated at 40%.



Contactor® 100HD Bare Chamber Storage Volumes


Elev	ation	Incremental Storage Volume			Cumulative Storage		
in.	mm	ft³/ft	m³/m	ft³	m³	ft³	m³
12	305	0.009	0.001	0.068	0.002	13.995	0.396
11	279	0.067	0.006	0.503	0.014	13.928	0.394
10	254	0.110	0.010	0.825	0.023	13.425	0.380
9	229	0.139	0.013	1.043	0.030	12.600	0.357
8	203	0.159	0.015	1.193	0.034	11.558	0.327
7	178	0.174	0.016	1.305	0.037	10.365	0,294
6	152	0.184	0.017	1.380	0.039	9.060	0.257
5	127	0.192	0.018	1.440	0.041	7.680	0.217
4	102	0.203	0.019	1.523	0.043	6.240	0.177
3	76	0.203	0.019	1.523	0.043	4.718	0.134
2	51	0.203	0.019	1.523	0.043	3.195	0.090
1	25	0.223	0.021	1.673	0.047	1.673	0.047
To	tal	1.866	0.173	13.995	0.396	13.995	0.396

Calculations are based on installed chamber length.


Visit www.cultec.com/downloads.html for Product Downloads and CAD details.



Three View Drawing




Typical Interlock Installation






Plan View Drawing



Typical Cross Section for Traffic Application



CULTEC Contactor® 100HD Stormwater Chamber

CULTEC Contactor® 100HD Specifications

GENERAL

CULTEC Contactor® 100HD chambers are designed for underground stormwater management. The chambers may be used for retention, recharging, detention or controlling the flow of on-site stormwater runoff.

CHAMBER PARAMETERS

- 1. The chambers shall be manufactured in the U.S.A. by CULTEC, Inc. of Brookfield, CT (cultec.com, 203-775-4416).
- 2. The chamber shall be vacuum thermoformed of polyethylene with a black interior and blue exterior.
- 3. The chamber shall be arched in shape.
- 4. The chamber shall be open-bottomed.
- The chamber shall be joined using an interlocking overlapping rib method. Connections must be fully shouldered overlapping ribs, having no separate couplings or separate end walls.
- 6. The nominal chamber dimensions of the CULTEC Contactor® 100HD shall be 12.5 inches (318 mm) tall, 36 inches (914 mm) wide and 8 feet (2.44 m) long. The installed length of a joined Contactor® 100HD shall be 7.5 feet (2.29 m).
- Maximum inlet opening on the chamber end wall is 10 inches (250 mm) HDPE, PVC.
- The chamber shall have two side portals to accept CULTEC HVLV® SFCx2 Feed Connectors to create an internal manifold.
 The nominal I.D. dimensions of each side portal shall be 5.75 inches (146 mm) high by 7.5 inches (191 mm) wide.
 Maximum allowable O.D. in the side portal is 6 inches (150 mm) HDPE, PVC.
- The nominal chamber dimensions of the CULTEC HVLV® SFCx2 Feed Connector shall be 7.6 inches (194 mm) tall, 12 inches (305 mm) wide and 19.7 inches (500 mm) long.
- 10. The nominal storage volume of the Contactor® 100HD chamber shall be 1.866 ft³ / ft (0.173 m³ / m) without stone. The nominal storage volume of a single Contactor® 100RHD Stand Alone unit shall be 14.93 ft³ (0.42 m³) without stone. The nominal storage volume of a joined Contactor® 100EHD as an Intermediate unit shall be 13.995 ft³ (0.396 m³) without stone. The nominal storage volume of the length adjustment amount per run shall be 0.93 ft³ (0.09 m³) without stone.
- 11. The nominal storage volume of the HVLV® SFCx2 Feed Connector shall be 0.294 ft³ / ft (0.027 m³ / m) without stone.
- 12. The Contactor® 100HD chamber shall have forty-four discharge holes bored into the sidewalls of the unit's core to promote lateral conveyance of water.
- 13. The Contactor® 100HD chamber shall have 16 corrugations.
- 14. The end wall of the chamber, when present, shall be an integral part of the continuously formed unit. Separate end plates cannot be used with this unit.
- 15. The Contactor® 100RHD Starter/Stand Alone unit must be formed as a whole chamber having two fully formed integral end walls and having no separate end plates or separate end walls.
- 16. The Contactor® 100EHD Middle/End unit must be formed as a whole chamber having one fully formed integral end wall and one fully open end wall and having no separate end plates or end walls.
- 17. The HVLV® SFCx2 Feed Connector must be formed as a whole chamber having two open end walls and having no separate end plates or separate end walls. The unit shall fit into the side portals of the Contactor® 100HD and act as cross feed connections.
- 18. Chambers must have horizontal stiffening flex reduction steps between the ribs.
- 19. The chamber shall have a raised integral cap at the top of the arch in the center of each unit to be used as an optional inspection port or clean-out.
- 20. The units may be trimmed to custom lengths by cutting back to any corrugation on the large rib end.
- 21. The chamber shall be manufactured in an ISO 9001:2015 certified facility.
- 22. The chamber shall be designed and manufactured to meet the material and structural requirements of IAPMO PS 63-2019, including resistance to AASHTO H-10 and H-20 highway live loads, when installed in accordance with CULTEC's installation instructions.
- 23. Maximum allowable cover over the top of the chamber shall be 12' (3.66 m) for the Heavy Duty version.
- 24. The chamber shall be designed to withstand traffic loads when installed according to CULTEC's recommended installation instructions.